



ELF EUROPEAN
LOCATION
FRAMEWORK

Use of SLD by the ELF project

INSPIRE conference , 26-30/09/2016, Barcelona

Dominique Laurent - IGN France, Thomas Ellet – Kartverket, Marian de Vries – TU Delft,

Anja Hopfstock - BKG

29/09/2016



the Competitiveness and Innovation framework Programme (CIP)
ICT Policy Support Programme (PSP) Call 6 Grant 325140

EUROPEAN LOCATION FRAMEWORK

Program

- ★ Objective: ELF view products
- ★ Main tool : the SLD standard
- ★ Lessons learnt
 - ★ Design portrayal rules
 - ★ Create SLD file
 - ★ Implement SLD
 - ★ Conclusions



ELF EUROPEAN
LOCATION
FRAMEWORK

ELF view products



the Competitiveness and Innovation framework Programme (CIP)
ICT Policy Support Programme (PSP) Call 6 Grant 325140

EUROPEAN LOCATION FRAMEWORK

ELF is a European project

- ★ From March 2013 to October 2016
- ★ Around 30 partners
 - NMCAs and EuroGeographics
 - Technology providers, Universities, Application developers
- ★ Co-funded by European Commission and the consortium partners
- ★ Main objectives:
 - Implement INSPIRE (interoperability – download services)
 - Offer single access point to these harmonised data and services from NMCAs
 - Make use of INSPIRE data and services
 - Basic applications: **view**, search
 - Business applications



ELF partners
(data providers)

- ★ A pyramid of digital images at various levels of zoom
 - ★ From 140 K to 40M
- ★ From EBM (EuroBoundaryMap) data
 - ★ Theme AU
- ★ WMTS service (for performance)



From countries to municipalities

A pyramid of digital images at various levels of zoom

★ From 2K to 40M

From INSPIRE based data

★ themes AU, TN, HY, LC, BU, GN, EL

Service WMTS harvesting national WMS services

- Images are « cached »



Themes:

- ★ Cadastral Parcels
- ★ Administrative Units
- ★ Addresses
- ★ Buildings

view





Cascading WMS => view territory


identify



GetFeatureInfo to consult the cadastral parcel attributes, to find the parcel code ... and the associated information in land registry



	Administrative BaseMap	Topographic BaseMap	Cadastral Index Map
Source data	European product (EBM)	European products (ERM) National data	National data
Portrayal rules	Common portrayal rules (SLD) designed at centralised level		
Done at national level		Set up WMS (for zooms 2K to 72K)	Set up WMS (from 2K to 10K)
Done at centralised level	Set up WMS Make tiles – set up WMTS	Set up WMS (for zooms 144K to 40M) Make tiles – set up WMTS	Set up cascading WMS



From centralised to decentralised approach



ELF EUROPEAN
LOCATION
FRAMEWORK

SLD standard



the Competitiveness and Innovation framework Programme (CIP)
ICT Policy Support Programme (PSP) Call 6 Grant 325140


EUROPEAN LOCATION FRAMEWORK

SLD (Style Layer Description)

★ OGC standard to document portrayal rules

WMS
(Web Map Service)

extends



XML
file

Provides

- ★ Order to display layers
- ★ For each layer
- ★ Layer name
- ★ Layer source : feature type + OGC filter if relevant
- ★ Scale range
- ★ Symbol

```

<se:Name>HY.PhysicalWaters.StandingWater</se:Name>
<UserStyle>
  <se:FeatureTypeStyle>
    <se:Rule>
      <se:Name>StandingWater</se:Name>
      <se:MaxScaleDenominator>72200.000000</se:MaxScaleDenominator>
      <se:PolygonSymbolizer>
        <se:Fill>
          <se:SvgParameter name="fill">#c2e9fc</se:SvgParameter>
        </se:Fill>
      </se:PolygonSymbolizer>
    </se:Rule>
  </se:FeatureTypeStyle>
</UserStyle>

```



ELF EUROPEAN
LOCATION
FRAMEWORK

Lessons learnt




the Competitiveness and Innovation framework Programme (CIP)
ICT Policy Support Programme (PSP) Call 6 Grant 325140

EUROPEAN LOCATION FRAMEWORK

- ★ Some INSPIRE models (mainly TN) include model patterns that can't be handled by SLD
 - ★ Indirect geometry (aggregate objects as Roads)
 - ★ Properties linked to geometry by linear referencing (instead of attributes)





★ Solution: the BaseMap model

- ★ Using INSPIRE terminology
- ★ With only the content useful for mapping
 - Selection
 - Symbolisation
- ★ In simple and flat structure



★ INSPIRE data had to be simplified for mapping purposes

- ★ SLD standard is known to be unable to deal with complex symbology
- ★ In general, not a big issue for ELF view products
 - ★ Basic cartography
 - ★ Simple symbols are enough

		2k – 18 k	18 k – 72 k
WatercourseLine	perennial		
	nonPerennial		

- ★ An exception: no common library for point symbols
 - ★ ELF gave up to represent specific buildings (church, stadium, ...)
 - ★ The project used simple feature symbology (circle, square etc) for other point features

- ★ The Filter Encoding enables **selection rules** about the labels to be displayed for a given scale range
- ★ But importance of named places is often missing in source data
 - ★ Use of ERM (250K) data for populated places (attribute “population”) for all levels of zoom
- ★ If too many labels on a map, Web Map Servers generally make random selection within same priority groups

★ In practice, how to create SLD files? Which tools?

★ Administrative BaseMap (IGN France): QGIS + manual work

- QGIS : selection and symbology depend on country
- Manual work: to edit labels

★ Topographic BaseMap (kartverket): Mapserver + manual work

- Map Server could export SLD V1.1.0
- Manual work to make it validate for the ELF specs (data issue) => manual errors => several iterations

★ Cadastral Index map (TU Delft): manual work, tests with GeoServer and QGIS

- GeoServer could not handle SLD V1.1.0, conversion scripts to SLD V1.0.0 needed
- Different ways in SLD to achieve the same, but not all permutations supported by SLD software
- Trial and error, therefore: best practices needed !

★ ELF project has developed open-source tool: SLD editor






- ★ To modify existing SLD
- ★ Only graphical part
- ★ User-friendly

Setting up the ELF National Basemap - Technology in use

	Option1	Option2	Option3	Option4	Option5
Data used	National data	National data	National data	National data	
Data storage	Oracle, PostGIS	PostGIS	FileGDB		
Software	MapServer	GeoServer	Esri ArcGIS server	Intergraph WebMapServer	deegree WMS
To adapt for national ELF Basemap service	.map-file	SLD	SLD to Esri style, ArcMap document	SLD	
ELF Partner	GST , KARTV	NLSFI , IGNB	MAC	CUZK	

Various technologies have been used

SLD adaptation sometimes required

<p>SLD has been used by all ELF data providers – <i>SLD has supplied common language to document portrayal rules in a decentralised context</i></p>	
<p>SLD has been used -with some adaptation - by different technologies (Web Map Server)</p>	
<p>SLD has been used with several versions of portrayal rules (pilot implementation)</p>	
<p>SLD has been used for different types of services : WMS and WMTS <i>SLD includes the range scale for WMS => it enables to derive the various zoom levels for WMTS</i></p>	
<p>There is no current tool (GIS, WMS) allowing good export of SLD file; still need for manual work to edit SLD</p>	
<p>Label processing raises various issues. <i>Improvement might come from better data (selection), better standard, better standard implementation.</i></p>	